AMENDMENTS TO THE CLAIMS

Claims 1-3 (canceled).

- 4. (Previously presented) A security locker as in claim 11 wherein said ceiling comprises at least one panel formed by opposing skins each having a ventilation opening therein.
- 5. (Previously presented) A security locker as in claim 11 wherein said side walls and said end walls are each formed by respective panels and further comprising a plurality of support members connected between the upper ends of said side panels and said end panels, and said ceiling formed by a plurality of panels supported by said support members.
- 6. (Previously presented) A security locker as in claim 11 further comprising at least one equipment mounting station connected between the floor and said ceiling.
- 7. (Previously presented) A security locker as in claim 5 wherein each of said ceiling panels is formed by opposing skins, each having at least one of said ceiling panels having a ventilation opening therein.
- 8. (Currently amended) A security locker as in claim 7 wherein there is a ventilation opening formed by an in-line ventilation section in each of the opposed skins of said at least one ceiling panel that comprises a plurality of openings.
- 9. (Previously presented) A security locker as in claim 8 wherein said plurality of openings in one said skin forming said ventilation section are spaced apart and are offset from the openings of the opposing skin ventilation section to restrict viewing into the interior of the locker.
- 10. (Previously presented) A security locker as in claim 9 further comprising at least one equipment mounting station connected between the floor and said ceiling.

Application No.: 09/865,027 3 Docket No.: 02193/100G456-US1

11. (Currently amended) A security locker comprising:

a pair of opposing side walls and a pair of opposing end walls each extending upwardly from a floor with said end walls and side walls connected together at the ends thereof, at least one of said side walls and said end walls formed by at least one panel having spaced parallel skins;

a ventilation opening formed in the parallel skins of said at least one panel by a ventilation section that is in each skin, the said ventilation section of said ventilation opening being in-line and opposing in an upper part of each of said skins of said at least one panel with the space between said parallel skins being open in the area of said opposing ventilation sections, wherein

each <u>said opposing</u> ventilation section <u>of said ventilation opening is</u> formed by a plurality of openings in the opposing skins <u>skin of each said ventilation section to permit air to flow</u> therethrough from outside of <u>said locker to the interior thereof</u>, and

a ceiling disposed on the upper ends of said side walls and end walls, said ceiling having a plurality of at least one ventilation openings opening.

Claims 12-13. Canceled.

- 14. (Previously presented) A security locker as in claim 8 wherein said plurality of openings in one said skin forming said ventilation section are spaced apart and are in-line from the openings of the opposing skin of said ventilation section to restrict viewing into the interior of the locker.
- 15. (Previously presented) A security locker as in claim 11 wherein said at least one ventilation opening of a panel of a said at least one end wall and side wall is adjacent to the ceiling of the enclosure.
- 16. (Currently amended) A security locker as in claim 11 wherein there are <u>at</u> <u>least one</u> said ventilation <u>openings</u> <u>opening</u> in <u>each</u> of the opposing side and end walls at substantially the same height.

Application No.: 09/865,027 4 Docket No.: 02193/100G456-US1

17. (New) A security locker as in claim 11 wherein said plurality of openings in one said skin forming said ventilation section are in-line with the openings of the opposing ventilation section of the other skin.

- 18. (New) A security locker as in claim 11 wherein said plurality of openings in one said skin forming said ventilation section are offset from the openings of the opposing ventilation section of the other skin.
- 19. (New) A security locker as in claim 11 wherein said opposing ventilation sections are of the same shape and size.
- 20. (New) A security locker as in claim 11 wherein said openings of each said ventilation section are formed in a plurality of regular spaced rows and columns.
- 21. (New) A security locker as in claim 19 wherein said openings of each said ventilation section are formed in a plurality of regular spaced rows and columns.